

# ELIA LED

## GRAND SIZE

Square lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as standard with **FLAT diffuser** and equipped with long-life, powerful and efficient TÜV approved GX53 LED modular system in different wattages. Designed according to the international regulations against light pollution (standard UNI 10819). Insulation class II, Protection rating IP 65.

*Lantern quadra in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita con **diffusore piatto** ed equipaggiata con sistema modulare a LED GX53 approvato TÜV di lunga durata ed alta efficienza disponibile in diverse potenze. Progettato in ottemperanza alle norme internazionali contro l'inquinamento luminoso (standard UNI 10819). Classe di isolamento II, grado di protezione IP65.*



Q45.000.D8L

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN


URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS





**ELIA LED - LANTERN COMPONENTS**

**IP65**



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

**PINNACOLO** decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).

**LANTERN ROOF** made of shockproof resin material, UV-rays stabilized. Tool-free opening for relamping and maintenance.

**TETTO** realizzato in resina antiurto, stabilizzata ai raggi UV. Rimovibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.

**DIFFUSER** with flat shape made of UV-rays stabilized polymethylmethacrylate (PMMA), provided with silicone rubber gasket to ensure an increased protection against external agent. Version with full diffuser available upon request.

**DIFFUSORE** in polimetilmetacrilato (PMMA) con configurazione piatta, provvisto di guarnizione in gomma siliconica per garantire una migliore protezione contro gli agenti esterni. Disponibile su richiesta anche versione con diffusore pieno.

**CAGE** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

**GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

**ELIA LED**

Q45.000 \*



**Dimensions and weight**

Height: 740 mm  
Width: 430 mm  
Depth: 430 mm  
Weight: 9,1 Kg

Area exposed to wind pressure:  
CxS = m<sup>2</sup> 0,165

**Moulded colours:**

Black  White

**Painted colours:**

Antique green  Antique bronze

**Diffuser PMMA:**

Clear  Opal

**GX53 LED**



- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

\*ADD. SUFFIX

Lantern supplied with white resin CEILING provided with TÜV approved, long-life and efficient **8xGX53 LED lamps included**. Each lamp can be quickly and easily replaced individually, making the luminaries maintenance very simple.



8x 7 W  
**56 W**

**6400 Lm**

4000 K .C8L

3000 K .C8R

8x 10 W  
**80 W**

**9600 Lm**

4000 K .D8L

3000 K .D8R


\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

**LED LAMPS**



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

**PHOTOMETRIC DATA SAMPLE**



**ELIA LED**



**SAVE -63%**

8x7W GX53 LED  
**56W**  
(power consumption)

Area: 10x10mt  
Height: 5mt

**21 lux**

**ELIA E27**



HQI - SON  
**150W**  
(power consumption)

Area: 10x10mt  
Height: 5mt

**15 lux**

**ELIA**  
GRAND SIZE

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN

HIGH-BAY


POST

LAMPS



Q43.221





GIONA 5000/ELIA	
<b>E27</b>	Q43.227
<b>LED</b>	Q45.227
Pcs 1 Kg 64,5 mc 1,112	430

GIONA 4000/ELIA	GIONA 4500/ELIA
<b>E27</b> Q43.221	Q43.224
<b>LED</b> Q45.221	Q45.224
Pcs 1 Kg 58,5 mc 0,862	Pcs 1 Kg 61,5 mc 0,982

KARMEL 3500/ELIA	KARMEL 4000/ELIA
<b>E27</b> Q43.234	Q43.237
<b>LED</b> Q45.234	Q45.237
Pcs 1 Kg 32,5 mc 0,402	Pcs 1 Kg 36 mc 0,453

SICHEM/ELIA	
<b>E27</b>	Q43.121
<b>LED</b>	Q45.121
Pcs 1 Kg 8 mc 0,182	430

KARMEL 3000/ELIA	
<b>E27</b>	Q43.231
<b>LED</b>	Q45.231
Pcs 1 Kg 31 mc 0,362	430

ELIA	
<b>E27</b>	Q43.000
<b>LED</b>	Q45.000
Pcs 1 Kg 7,5 mc 0,182	430


  

TABOR/ELIA	HOREB/ELIA
<b>E27</b> Q43.204	Q43.207
<b>LED</b> Q45.204	Q45.207
Pcs 1 Kg 31 mc 0,362	Pcs 1 Kg 32,5 mc 0,402


BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS

GIONA 4000/ELIA  
GRAND SIZE

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS



**MADE IN ITALY**



**ADAM/ELIA**

**E27** Q43.171  
**LED** Q45.171

Pcs 1  
Kg 9,3  
mc 0,190

**GIONA 4000 ADAM/ELIA 2L**

**E27** Q43.221.M20  
**LED** Q45.221.M20

Pcs 1  
Kg 70,6  
mc 0,863

**LOT/ELIA**

**E27** Q43.113  
**LED** Q45.113

Pcs 1  
Kg 8,4  
mc 0,182

**GIONA 4000 ADAM/ELIA 1L**

**E27** Q43.221.M10  
**LED** Q45.221.M10

Pcs 1  
Kg 61,3  
mc 0,752

**GIONA 4000 ADAM/ELIA 2L**

**E27** Q43.221.M30  
**LED** Q45.221.M30

Pcs 1  
Kg 80  
mc 1,100

**GIONA 4000 ADAM/ELIA 3L**

**E27** Q43.221.M30  
**LED** Q45.221.M30

Pcs 1  
Kg 80  
mc 1,100


**GIONA 4000 ADAM/ELIA 2+1**

**E27** Q43.221.M21  
**LED** Q45.221.M21

Pcs 1  
Kg 79,1  
mc 0,931

GIONA 4500-5000/**ELIA**  
 GRAND SIZE

BULKHEAD  
 FLOODLIGHT  
 IN-GROUND  
 BRICKLIGHT  
 BOLLARDS  
 GARDEN  
 URBAN CLASSIC  
 URBAN MODERN  
 HIGH-BAY  
 POST  
 LAMPS



Q43.224.N10

Pag.456



Q43.172



Q43.224.N20





GIONA 4500 ARON/ELIA	GIONA 5000 ARON/ELIA
<b>E27</b> Q43.224.N10	<b>E27</b> Q43.227.N10
<b>LED</b> Q45.224.N10	<b>LED</b> Q45.227.N10
Pcs 1 Kg 65 mc 0,949	Pcs 1 Kg 68 mc 1,191

ARON/ELIA	
<b>E27</b>	Q43.172
<b>LED</b>	Q45.172
Pcs 1 Kg 10,5 mc 0,223	

GIONA 4500 ARON/ELIA 2L	GIONA 5000 ARON/ELIA 2L
<b>E27</b> Q43.224.N20	<b>E27</b> Q43.227.N20
<b>LED</b> Q45.224.N20	<b>LED</b> Q45.227.N20
Pcs 1 Kg 74 mc 1,196	Pcs 1 Kg 77 mc 1,329

GIONA 4500 ARON/ELIA 4L	GIONA 5000 ARON/ELIA 4L
<b>E27</b> Q43.224.N40	<b>E27</b> Q43.227.N40
<b>LED</b> Q45.224.N40	<b>LED</b> Q45.227.N40
Pcs 1 Kg 92 mc 1,444	Pcs 1 Kg 95 mc 1,605

ERMON.R/ELIA
<b>E27</b> Q43.195 resin
<b>LED</b> Q45.195 resin
Pcs 1 Kg 12,8 mc 0,250