

REMO 400 LED


LARGE SIZE

Modern luminaries made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top or wall installation. Equipped with TÜV approved, long-life and efficient **GX53 LED modular system** in different wattages. Insulation class II, Protection rating IP65.

*Diffusore moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo o a parete. Provvisto di **sistema modulare a LED GX53** approvato TÜV di lunga durata ed alta efficienza disponibile in diverse potenze. Classe di isolamento II, grado di protezione IP65.*



R50.000.D6L



BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN


URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS



REMO 400 - COMPONENTS

IP65



ROOF complete with decorative pinnacle made in shockproof resin material, UV-rays stabilized, rust and corrosion-free.

TETTO completo di pinnacolo decorativo, realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione.

DIFFUSER made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only, available in clear or opal colour.

DIFFUSORE realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV, un pezzo unico, disponibile in colore trasparente o opale.

Decorative connection **RING** to be fixed on the luminaries diffuser.

ANELLO decorative di connessione da fissare sul diffusore dell'apparecchio.

BASE made in shockproof resin material consisting of a support for post top installation (Ø 60mm) and of a white resin **CONE REFLECTOR**, to direct downwards the lighting output. A silicone rubber gasket assure the protection against external agents.

BASE dell'apparecchio realizzata in resina antiurto composta da un supporto per permettere il fissaggio dell'apparecchio a palo (Ø 60mm) e da un **CONO** riflettente in resina bianca per indirizzare verso il basso il flusso luminoso. Una guarnizione in gomma siliconica garantisce la protezione dagli agenti esterni.

REMO 400 LED

R50.000 *



Dimensions and weight

Height: 715 mm
Diameter: 480 mm
Weight: 7,1 Kg
Junction to support: diameter 60 mm
Area expose to wind pressure:
CxS = m² 0,157

Moulded colours:

Black White Grey

Diffuser PMMA:

Clear Opal

GX53 LED



- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

*ADD. SUFFIX

Luminaries supplied with white resin CEILING provided with TÜV approved, long-life and efficient **6x GX53 LED lamps included**. Each lamp can be quickly and easily replaced individually, making the luminaries maintenance very simple.



| | | | |
|----------------------|----------------|--------|------|
| 6x 7W 42W | 4800 Lm | 4000 K | .C6L |
| | | 3000 K | .C6R |
| 6x 10W 60W | 7200 Lm | 4000 K | .D6L |
| | | 3000 K | .D6R |



LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

PHOTOMETRIC DATA SAMPLE - REMO 400 LED



6x7W GX53 LED
42W
(power consumption)

Area: 10x10mt
Height: 3,5mt
17 lux

=

REMO 400 E40

HQI 100W
115W
(power consumption)

Area: 10x10mt
Height: 3,5mt
15 lux


EKTOR/REMO 400

LARGE SIZE

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS



MADE IN ITALY



MIDIPILAR/REMO400
R50.254

Pcs 1
Kg 7,5
mc 0,09

NEW LOT/REMO400
R50.115

Pcs 1
Kg 6,5
mc 0,07

EKTOR 3500/REMO400
R50.367.000

Pcs 1
Kg 38,9
mc 0,268

REMO400
R50.000

Pcs 1
Kg 5,9
mc 0,06

EKTOR 2500/REMO400
R50.361.000

Pcs 1
Kg 25,9
mc 0,21

EKTOR 3000/REMO400
R50.364.000

Pcs 1
Kg 35,9
mc 0,241

EKTOR 3500/REMO400
R50.367.000

Pcs 1
Kg 38,9
mc 0,268

EKTOR 4000/REMO400
R50.371.000

Pcs 1
Kg 41,9
mc 0,294

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN

HIGH-BAY



POST


LAMPS

EKTOR/REMO 400

LARGE SIZE

- BULKHEAD
- FLOODLIGHT
- IN-GROUND
- BRICKLIGHT
- BOLLARDS
- GARDEN
- URBAN CLASSIC
- URBAN MODERN
- HIGH-BAY
- POST
- LAMPS





EKTOR 3500 MIDIPILAR/REMO400 2L **EKTOR 4000 MIDIPILAR/REMO400 2L**

R50.367.A20 **R50.371.A20**

Pcs 1 Pcs 1
Kg 48,5 Kg 51,5
mc 0,37 mc 0,397

1220

4800
4300

EKTOR 3500 MIDIPILAR/REMO400 3L **EKTOR 4000 MIDIPILAR/REMO400 3L**

R50.367.A30 **R50.371.A30**

Pcs 1 Pcs 1
Kg 56,3 Kg 59,3
mc 0,568 mc 0,594

1120

4800
4300

EKTOR 2500 MIDIPILAR/REMO400 2L **EKTOR 3000 MIDIPILAR/REMO400 2L**

R50.361.A20 **R50.364.A20**

Pcs 1 Pcs 1
Kg 35,5 Kg 45,5
mc 0,318 mc 0,344

1220

3800
3300

Ø 265

EKTOR 2500 MIDIPILAR/REMO400 3L **EKTOR 3000 MIDIPILAR/REMO400 3L**

R50.361.A30 **R50.364.A30**

Pcs 1 Pcs 1
Kg 43,3 Kg 53,3
mc 0,515 mc 0,541


1120


3800
3300

Ø 265

AKILLE/REMO 400 LARGE SIZE

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS





| AKILLE 3500/ REMO400 | AKILLE 4000/ REMO400 |
|------------------------------|------------------------------|
| R50.417.000 | R50.421.000 |
| Pcs 1 Kg 38,9 mc 0,268 | Pcs 1 Kg 41,8 mc 0,294 |
| | |

| AKILLE 3500 MIDIPILAR/ REMO400 2L | AKILLE 4000 MIDIPILAR/ REMO400 2L |
|--------------------------------------|--------------------------------------|
| R50.417.A20 | R50.421.A20 |
| Pcs 1 Kg 48,5 mc 0,37 | Pcs 1 Kg 51,5 mc 0,397 |
| | |

| AKILLE 3500 MIDIPILAR/ REMO400 3L | AKILLE 4000 MIDIPILAR/ REMO400 3L |
|--------------------------------------|--------------------------------------|
| R50.417.A30 | R50.421.A30 |
| Pcs 1 Kg 56,3 mc 0,568 | Pcs 1 Kg 59,3 mc 0,594 |
| | |

| AKILLE 3000/REMO400 |
|------------------------------|
| R50.414.000 |
| Pcs 1 Kg 35,9 mc 0,241 |
| |
| |

| AKILLE 3000 MIDIPILAR/REMO400 2L |
|----------------------------------|
| R50.414.A20 |
| Pcs 1 Kg 45,5 mc 0,344 |
| |
| |

| AKILLE 3000 MIDIPILAR/REMO400 3L |
|----------------------------------|
| R50.414.A30 |
| Pcs 1 Kg 53,3 mc 0,541 |
| |
| |

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS