

SABA

SMALL SIZE

E27 hexagonal lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as optional with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use. Insulation class II, protection rating IP55.

Lanterna esagonale E27 in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita anche completa di lampadine LED a filamento adatte ad uso in ambiente esterno, approvate TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.



K22.131.F1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

6W - 8W - 12W
100-240 V



BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN


URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS





SABA - LANTERN COMPONENTS

IP55



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

PINNACOLO decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).



Lantern **ROOF** made of shockproof resin material, UV rays stabilized and supplied with E27 lampholder. Tool-free opening for relamping and maintenance,.

TETTO realizzato in resina antiurto, stabilizzata ai raggi UV, fornito completo di portalampada E27. Rimovibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.



NEW IP55

DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and provided with recess for power cable supply. Made of one piece only and closed at the bottom to ensure high protection against external agents (IP 55).

DIFFUSORE in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e provvisto di scanalatura per il passaggio del cavo di alimentazione. Realizzato in un pezzo unico e con fondo chiuso per garantire un alto livello di protezione contro gli agenti esterni (IP 55).

CAGE made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

GABBIA realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

SABA

K22.000 *



220



320

Ø 60

Dimensions and weight

Height: 320 mm
Width: 220 mm
Depth: 192 mm
Weight: 1 Kg

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal

E27 VERSIONS

*ADD. SUFFIX



E27
NEW FILAMENT LED LAMPS
100-240 V

| E27 (GLS-CFL-LED) | | max 60W max 160 mm | *ADD. SUFFIX | |
|-------------------|------|-----------------------|--------------|------|
| | 6 W | 800 Lm | 2700 K | .F1R |
| | 8 W | 1000 Lm | 2700 K | .M1R |
| | 12 W | 1500 Lm | 2700 K | .N1R |

- **PERFECT MATCHING WITH CLASSIC LANTERNS:** clear LED filament lamp with the look and the feeling of a traditional incandescent bulb.
- **SUITABLE FOR OUTDOOR USE:** 100-240 V built-in driver fully protected against heat and humidity by silicone paste.
- **OMNIDIRECTIONAL LIGHT:** 360° light output for a better lighting distribution on hexagonal and square classic lanterns.
- **HIGH EFFICIENCY:** 90% energy saving.

6W
8W
12W = 60W
75W
100W incandescent

SAVE 90%


LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE


PHOTOMETRIC DATA SAMPLE



SABA lantern clear with Fumagalli Filament Led Lamp 6W.

POST height 1mt
6x6mt area: average 6 lux

The photometric data for all the versions are available upon request or on our website.





BISSO/SABA

| | |
|------------------------|-------------|
| E27 lamp holder | K22.131.E27 |
| 6W LED | K22.131.F1R |
| 8W LED | K22.131.M1R |
| 12W LED | K22.131.N1R |

Pcs 18
Kg 20,08
mc 0,209

SICHEM/SABA

| | |
|------------------------|-------------|
| E27 lamp holder | K22.120.E27 |
| 6W LED | K22.120.F1R |
| 8W LED | K22.120.M1R |
| 12W LED | K22.120.N1R |

Pcs 18
Kg 22,8
mc 0,209

SABA
K22.000

Pcs 1
Kg 1
mc 0,011

MIKROLOT/SABA

| | |
|------------------------|-------------|
| E27 lamp holder | K22.110.E27 |
| 6W LED | K22.110.F1R |
| 8W LED | K22.110.M1R |
| 12W LED | K22.110.N1R |

Pcs 18
Kg 22,8
mc 0,209

PORPORA/SABA

| | |
|------------------------|-------------|
| E27 lamp holder | K22.141.E27 |
| 6W LED | K22.141.F1R |
| 8W LED | K22.141.M1R |
| 12W LED | K22.141.N1R |

Pcs 1
Kg 3,5
mc 0,024

MIZAR/SABA resin

| | |
|------------------------|-------------|
| E27 lamp holder | K22.151.E27 |
| 6W LED | K22.151.F1R |
| 8W LED | K22.151.M1R |
| 12W LED | K22.151.N1R |

Pcs 1
Kg 3
mc 0,044

ALOE'R/SABA resin

| | |
|------------------------|-------------|
| E27 lamp holder | K22.163.E27 |
| 6W LED | K22.163.F1R |
| 8W LED | K22.163.M1R |
| 12W LED | K22.163.N1R |

Pcs 2
Kg 7,4
mc 0,121


ARTU'/SABA

| | |
|------------------------|-------------|
| E27 lamp holder | K22.158.E27 |
| 6W LED | K22.158.F1R |
| 8W LED | K22.158.M1R |
| 12W LED | K22.158.N1R |

Pcs 1
Kg 9,4
mc 0,148

SABA
SMALL SIZE

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS





SABA



SALEM




SILOE

ARTU' BISSO/SABA 2+1

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.158.S21.E27 |
| 6W LED | K22.158.S21.F1R |
| 8W LED | K22.158.S21.M1R |
| 12W LED | K22.158.S21.N1R |


Pcs 1
Kg 12,1
mc 0,176



ARTU' BISSO/SABA 3+1

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.158.S31.E27 |
| 6W LED | K22.158.S31.F1R |
| 8W LED | K22.158.S31.M1R |
| 12W LED | K22.158.S31.N1R |


Pcs 1
Kg 13,1
mc 0,176



GIGI BISSO/SABA 2+1

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.156.S21.E27 |
| 6W LED | K22.156.S21.F1R |
| 8W LED | K22.156.S21.M1R |
| 12W LED | K22.156.S21.N1R |


Pcs 1
Kg 14,1
mc 0,182



GIGI BISSO/SABA 3+1

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.156.S31.E27 |
| 6W LED | K22.156.S31.F1R |
| 8W LED | K22.156.S31.M1R |
| 12W LED | K22.156.S31.N1R |


Pcs 1
Kg 15,1
mc 0,182



ARTU' BISSO/SABA 2L

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.158.S20.E27 |
| 6W LED | K22.158.S20.F1R |
| 8W LED | K22.158.S20.M1R |
| 12W LED | K22.158.S20.N1R |


Pcs 1
Kg 11,1
mc 0,176



ARTU' BISSO/SABA 3L

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.158.S30.E27 |
| 6W LED | K22.158.S30.F1R |
| 8W LED | K22.158.S30.M1R |
| 12W LED | K22.158.S30.N1R |


Pcs 1
Kg 12,1
mc 0,176



GIGI BISSO/SABA 2L

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.156.S20.E27 |
| 6W LED | K22.156.S20.F1R |
| 8W LED | K22.156.S20.M1R |
| 12W LED | K22.156.S20.N1R |

Pcs 1
Kg 13,1
mc 0,182



GIGI BISSO/SABA 3L

| | |
|------------------------|-----------------|
| E27 lamp holder | K22.156.S30.E27 |
| 6W LED | K22.156.S30.F1R |
| 8W LED | K22.156.S30.M1R |
| 12W LED | K22.156.S30.N1R |

Pcs 1
Kg 14,1
mc 0,182

