

# VIVI 400

## LARGE SIZE

Modern luminaries made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top, wall and hanging installation. Provided with high temperature resistant ceiling suitable for horizontal bulb fixation and with aluminum reflector to optimize the light distribution. Designed according to the international regulations against light pollution (standard UNI 10819). Insulation class II, Protection rating IP65.

*Diffusore moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo, a sospensione o a parete. Fornito con soffitto ad alta resistenza al calore idoneo per il fissaggio orizzontale della lampadina e provvisto di parabola riflettente in alluminio per direzionare il flusso luminoso. Progettato in ottemperanza alle norme internazionali contro l'inquinamento luminoso (standard UNI 10819). Classe di isolamento II, grado di protezione IP65.*

V50.000



BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN


URBAN CLASSIC


URBAN MODERN

HIGH-BAY

POST

LAMPS





**VIVI 400 E27 - E40 VERSION - COMPONENTS**

**IP65**



**ROOF** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

**TETTO** realizzato in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

High temperature resistant **CEILING** made of white polycarbonate (PC), UV-rays stabilized, suitable for ballast fixation on its upper side and provided with E27 or E40 lampholder on its lower side. Bulb in horizontal position.

**SOFFITTO** realizzato in policarbonato bianco (PC) ad alta resistenza al calore, stabilizzato ai raggi UV, nella cui parte superiore vengono fissati i reattori. Fornito completo di portalampada E27 o E40 atto a sostenere la lampadina in posizione orizzontale.

Parabolic **REFLECTOR** made of anodized aluminium, designed to optimize the light distribution and to limit the skyward dispersion of the luminous flux.

**PARABOLA** riflettente realizzata in alluminio anodizzato, progettata per ottimizzare la distribuzione del flusso luminoso e limitarne la dispersione verso il cielo.

**DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only, available in clear or opal colour.

**DIFFUSORE** realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV, un pezzo unico, disponibile in colore trasparente o opale.

Decorative connection **RING** to be fixed on the luminaries diffuser.

**ANELLO** decorativo di connessione da fissare sul diffusore dell'apparecchio.

**VIVI 400**

V50.000 \*



**Dimensions and weight**

Height: 420 mm  
Diameter: 480 mm  
Weight: 3,7 Kg  
Junction to support: Ø 60 mm  
Area expose to wind pressure: CxS = m<sup>2</sup> 0,1449

**Moulded colours:**

Black White Grey

**Diffuser PMMA:**

Clear Opal


**E27-E40**

\* ADD. SUFFIX

	<b>E27</b> (GLS-CFL-LED)	E27 Lampholder only	.E27
	<b>E27</b> WITH BALLAST KIT	SON 70W HQI 70W	.S70 .H70
Luminaries supplied with E27 or E40 lampholder and provided as an option complete with ballast kit for SON-HQI lamps.	<b>E40</b> WITH BALLAST KIT	SON 100W	.S10
		HQI 100W	.H10

**HORIZONTAL BULB**


AGAINST LIGHT POLLUTION



E27 - E40 VERSION

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

**PHOTOMETRIC DATA SAMPLE**



**VIVI 400** clear HQI 70W.


POST height 3,5mt  
10x10mt area: average 20 lux

The photometric data for all the versions are available upon request or on our website.

# VIVI 400

## LARGE SIZE

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS



Pag.464

V50.364.A10.C6L



V50.254



V50.129.C6L



V50.115







**MIDIPIALAR/VIVI400**  
V50.254

Pcs 1  
Kg 5,5  
mc 0,092

**EKTOR 3500**      **EKTOR 4000**  
**MIDIPIALAR/VIVI400 1L**      **MIDIPIALAR/VIVI400 1L**  
V50.367.A10      V50.371.A10

Pcs 1      Pcs 1  
Kg 38,7      Kg 41,7  
mc 0,284      mc 0,314

**VIVI 400**  
V50.000

Pcs 1  
Kg 3,7  
mc 0,09

**MARIO/VIVI400**  
V50.129

Pcs 1  
Kg 4,5  
mc 0,07

**EKTOR 2500 MIDIPIALAR/VIVI400 1L**  
V50.361.A10

Pcs 1  
Kg 25,7  
mc 0,235

**EKTOR 3000 MIDIPIALAR/VIVI400 1L**  
V50.364.A10



Pcs 1  
Kg 35,7  
mc 0,262

**NEW LOT/VIVI400**  
V50.115

Pcs 1  
Kg 4,5  
mc 0,071

EKTOR/VIVI 400  
LARGE SIZE

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS





EKTOR 3500 MIDIPILAR/VIVI400 2L		EKTOR 4000 MIDIPILAR/VIVI400 2L	
V50.367.A20		V50.371.A20	
Pcs 1 Kg 44,1 mc 0,358		Pcs 1 Kg 47,1 mc 0,385	

EKTOR 3500 MIDIPILAR/VIVI400 3L		EKTOR 4000 MIDIPILAR/VIVI400 3L	
V50.367.A30		V50.371.A30	
Pcs 1 Kg 49,7 mc 0,55		Pcs 1 Kg 52,7 mc 0,576	

EKTOR 2500 MIDIPILAR/VIVI400 2L		EKTOR 3000 MIDIPILAR/VIVI400 2L	
V50.361.A20		V50.364.A20	
Pcs 1 Kg 31,1 mc 0,306		Pcs 1 Kg 41,1 mc 0,332	

EKTOR 2500 MIDIPILAR/VIVI400 3L		EKTOR 3000 MIDIPILAR/VIVI400 3L	
V50.361.A30		V50.364.A30	
Pcs 1 Kg 36,7 mc 0,497		Pcs 1 Kg 46,7 mc 0,523	

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN



HIGH-BAY

POST

LAMPS

**AKILLE/VIVI 400**  
**LARGE SIZE**

BULKHEAD  
 FLOODLIGHT  
 IN-GROUND  
 BRICKLIGHT  
 BOLLARDS  
 GARDEN  
 URBAN CLASSIC  
 URBAN MODERN  
 HIGH-BAY  
 POST  
 LAMPS





AKILLE 3500 MIDIPILAR/VIVI400 1L	AKILLE 4000 MIDIPILAR/VIVI400 1L
V50.417.A10	V50.421.A10
Pcs 1 Kg 38,7 mc 0,284	Pcs 1 Kg 41,7 mc 0,314

AKILLE 3500 MIDIPILAR/VIVI400 2L	AKILLE 4000 MIDIPILAR/VIVI400 2L
V50.417.A20	V50.421.A20
Pcs 1 Kg 44,1 mc 0,358	Pcs 1 Kg 47,1 mc 0,385

AKILLE 3500 MIDIPILAR/VIVI400 3L	AKILLE 4000 MIDIPILAR/VIVI400 3L
V50.417.A30	V50.421.A30
Pcs 1 Kg 49,7 mc 0,55	Pcs 1 Kg 52,7 mc 0,576

AKILLE 3000 MIDIPILAR/VIVI400 1L
V50.414.A10
Pcs 1 Kg 35,7 mc 0,262

AKILLE 3000 MIDIPILAR/VIVI400 2L
V50.414.A20
Pcs 1 Kg 41,1 mc 0,332

AKILLE 3000 MIDIPILAR/VIVI400 3L
V50.414.A30
Pcs 1 Kg 46,7 mc 0,523