

# EXTRALETI 100 ROUND

## SURFACE LAMP

Surface wall lamp with round shape, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied as standard with TÜV approved, long-life and efficient **GX53 LED lamp 3W-350lm included**. Available in 4 different cover options to get a diffuse or downwards directed light emission. Insulation class II, Protection rating IP66.

*Lampada a muro con forma circolare, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con inclusa lampadina a LED GX53 3W-350lm approvata TÜV, di lunga durata ed elevata efficienza. Disponibile in 4 differenti versioni di cover per permettere un'emissione della luce diffusa o diretta verso il basso. Classe di isolamento II, grado di protezione IP66.*



253.000.G1L


BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS

### EXTRALETI 100 ROUND - COMPONENTS

IP 66



**COVER** made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Different shapes available allowing a diffuse or a downwards light emission.

***COVER** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile in diverse versioni per permettere un'emissione della luce diffusa o diretta verso il basso.*

**Opal DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA).

***DIFFUSORE** opale realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV.*

High quality silicone rubber **GASKET** to ensure high protection against external agents.

***GUARNIZIONE** in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.*

**BODY** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with **GX53 3W led lamp** and with silicone rubber gasket to ensure high protection against external agents.

***CORPO** realizzato in resina antiurto, stabilizzata ai raggi UV, adatto ad alloggiare gli accessori elettrici. Fornito completo di **lampadina led 3W GX53** e guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.*

### EXTRALETI 100 ROUND

— ø 140 —



#### Dimensions and weight

Diameter: Ø 140 mm  
Depth: 64/85 mm  
Weight: 0,5 Kg

#### Moulded colours:

Black     White     Grey

#### Diffuser PMMA:

Opal

### GX53 LED

\*ADD SUFFIX



	<b>3 W</b>	<b>350 Lm</b>	4000 K	.G1L
			3000 K	.G1R

Surface lamp supplied as standard with TÜV approved, long-life and efficient **GX53 LED lamp 3W-350lm included**. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.



**3W 350 Lm** = **40W** incandescent  
**SAVE 89%**

### LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

\*ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE


# EXTRALETI 100 ROUND

## SURFACE LAMP



MADE IN ITALY

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS



**EXTRALETI 100 ROUND**

2S1.000.G1L	<b>3W</b>	2S1.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 ROUND-GR**

2S2.000.G1L	<b>3W</b>	2S2.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 ROUND-EL**

2S3.000.G1L	<b>3W</b>	2S3.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 ROUND-ST**

2S4.000.G1L	<b>3W</b>	2S4.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12