

# EXTRALETI 100 SQUARE

## SURFACE LAMP

Surface wall lamp with square shape, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied as standard with TÜV approved, long-life and efficient **GX53 LED lamp 3W-350lm included**. Available in 4 different cover options to get a diffuse or downwards directed light emission. Insulation class II, Protection rating IP66.

*Lampada a muro con forma quadra, realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con inclusa lampadina a LED GX53 3W-350lm approvata TÜV, di lunga durata ed elevata efficienza. Disponibile in 4 differenti versioni di cover per permettere un'emissione della luce diffusa o diretta verso il basso. Classe di isolamento II, grado di protezione IP66.*



EXTRALETI 100  
SQUARE  
351.000



EXTRALETI 100  
SQUARE-GR  
352.000



EXTRALETI 100  
SQUARE-EL  
353.000




EXTRALETI 100  
SQUARE-ST  
354.000



354.000.G1L



MADE IN ITALY



### EXTRALETI 100 SQUARE - COMPONENTS

IP 66



**COVER** made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Different shapes available allowing a diffuse or a downwards light emission.

**COVER** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile in diverse versioni per permettere un'emissione della luce diffusa o diretta verso il basso.

**Opal DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA).

**DIFFUSORE** opale realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV.

High quality silicone rubber **GASKET** to ensure high protection against external agents.

**GUARNIZIONE** in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

**BODY** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with **GX53 3W led lamp** and with silicone rubber gasket to ensure high protection against external agents.

**CORPO** realizzato in resina antiurto, stabilizzata ai raggi UV, adatto ad alloggiare gli accessori elettrici. Fornito completo di **lampadina led 3W GX53** e guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

### EXTRALETI 100 SQUARE



#### Dimensions and weight

Height: 120 mm  
Width: 120 mm  
Depth: 64/85 mm  
Weight: 0,5 Kg

#### Moulded colours:

Black  White  Grey


#### Diffuser PMMA:

Opal

### GX53 LED

\*ADD SUFFIX



	3 W	350 Lm	4000 K	.G1L
			3000 K	.G1R

Surface lamp supplied as standard with TÜV approved, long-life and efficient **GX53 LED lamp 3W-350lm** included. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.



**3W 350 Lm** = **40W** incandescent  
**SAVE 89%**

### LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

\*ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# EXTRALETI 100 SQUARE SURFACE LAMP

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS





**EXTRALETI 100 SQUARE**

3S1.000.G1L	<b>3W</b>	3S1.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 SQUARE-GR**

3S2.000.G1L	<b>3W</b>	3S2.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 SQUARE-EL**

3S3.000.G1L	<b>3W</b>	3S3.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12

**EXTRALETI 100 SQUARE-ST**

3S4.000.G1L	<b>3W</b>	3S4.000.G1R
4000K	GX53 LED LAMP INCLUDED	3000K

Pcs 48  
Kg 24  
mc 0,12